



Material Safety Data Sheet

Effective Date: October 15th, 2010

Supersedes: February 2nd, 2010

Xpert vanA/vanB

1. Identification of the Material and Company/Undertaking

Product name:	Xpert vanA/vanB	Catalog #: GXVANA-10
Common name:	Not applicable	Catalog #: GXVANA/B-CE-10
Compound name:	Not applicable	

Manufacturer:
Cepheid
904 Caribbean Drive
Sunnyvale, CA 94089
USA

Cepheid AB
Bällstavägan 34-36
168 65 Bromma
Sweden

Telephone Numbers:
US: (888) 838-3222 option 2 (6 AM – 5 PM Pacific time)
EU: +33.563.82.53.19
Outside of the US: 1 (408) 541-4191
24-Hour Emergency Telephone:
CHEMTREC (800) 424-9300
Outside of the US: 1 (703) 741-5500
US E-mail: techsupport@cepheid.com
EU E-mail: techsupport@cepheideurope.fr

The following MSDS is for the final finished product only as used in the laboratory that contains six (6) components, some of which are in cartridges. If manufacturing this product, consult the MSDSs for the individual ingredients and reagents.

2. Hazards Identification

Appearance: Reagents Off Board Products (Reagents 1 & 2 in ampoules):
This product contains 6 parts – 3 of the parts (beads, which are freeze-dried white powders) are contained in cartridges. The other three components are reagents that are liquids that are clear, colorless liquids that are contained in ampoules or in a vial.

Reagents On Board Products (Reagents 1 & 2 in cartridges):
This product contains 6 parts – 5 of the parts (beads, which are freeze-dried white powders, and 2 clear, colorless liquid reagents) are contained in cartridges. The other component is a reagent that is a clear, colorless liquid that is contained in a vial.

Signal Word: **DANGER for handling of:** Reagent 2 containing Sodium Hydroxide
CAUTION for handling of all other kit components



Material Safety Data Sheet

Effective Date: October 15th, 2010

Supersedes: February 2nd, 2010

Xpert vanA/vanB

Hazard Overview: Reagent 2, containing 0.5 N Sodium Hydroxide solution is a **CORROSIVE LIQUID**. Causes burns to skin and eyes if directly contacted. Causes irritation to mucous membranes and respiratory tract if inhaled. For Reagents Off Board Products, Reagent 2 is contained in ampoules. For Reagents On Board Products, Reagent 2 is contained in cartridges.

Bead components (Bead 1, Bead 2, Bead 3) are contained in cartridges and will not present a hazard under normal use conditions; if cartridge is broken or damaged and beads are spilled or released, contact may cause reversible skin and eye irritation.

Reagent 1 and Sample Reagent are not considered hazardous under US hazard communication regulations (29 CFR 1910.1200), EU directives for classification and labeling of substances or mixtures or the Global Harmonization System for classification and labeling of substances or mixtures. For Reagents Off Board Products, Reagent 1 is contained in ampoules. For Reagents On Board Products, Reagent 1 is contained in cartridges.

Statement of Known

Hazard: Reagent 2 is a **CORROSIVE LIQUID**. Avoid skin contact, eye contact and inhalation. Wear eye protection and skin protection to avoid contact.

Other components of this product would not be considered hazardous under normal conditions of use.

EU Indicator of Danger: Reagent 2 – C (Corrosive)

All other components of this product: Not applicable

EU Risk Phrases: Reagent 2 – R34 Causes Burns.

All other components of this product: Not applicable



Material Safety Data Sheet

Effective Date: October 15th, 2010

Supersedes: February 2nd, 2010

Xpert vanA/vanB

3. Composition Information on Ingredients

This product consists of a cartridge with three reagent beads to which aqueous reagents are added as part of an assay.

Bead 1 is a freeze-dried powder bead as contained in the cartridge with the following hazardous ingredients:

Ingredient	CAS#	EINECs / ELINCS #	% Composition	EU Risk Phrase
HEPES Acid and Salt	7365-45-9 (For Acid)	230-907-9 (For Acid)	<5	R36/37/38
Magnesium Chloride	7786-30-3	232-094-6	<5	R36/37/38
Bovine Serum Albumin	9048-46-8	232-936-2	<3	R42

All other ingredients of Bead 1 are either non-hazardous under US and EU regulations or GHS guidelines and/or at concentrations less than 1% in the mixture.

Bead 2 is a freeze-dried powder bead as contained in the cartridge with the following hazardous ingredients:

Ingredient	CAS#	EINECs / ELINCS #	% Composition	EU Risk Phrase
Magnesium Chloride	7786-30-3	232-094-6	<5	R36/37/38
HEPES Acid and Salt	7365-45-9 (For Acid)	230-907-9 (For Acid)	<5	R36/37/38
Bovine Serum Albumin	9048-46-8	232-936-2	<3	R42

All other ingredients of Bead 2 are either non-hazardous under US and EU regulations or GHS guidelines and/or at concentrations less than 1% in the mixture.

Bead 3 is a freeze-dried powder bead as contained in the cartridge with the following hazardous ingredients:

Ingredient	CAS#	EINECs / ELINCS #	% Composition	EU Risk Phrase
HEPES Acid and Salt	7365-45-9 (For Acid)	230-907-9 (For Acid)	<10	R36/37/38



Material Safety Data Sheet

Xpert vanA/vanB

Effective Date: October 15th, 2010

Supersedes: February 2nd, 2010

All other ingredients of Bead 3 are either non-hazardous under US and EU regulations or GHS guidelines and/or at concentrations less than 1% in the mixture.

Reagent 1 and **Sample Reagent** each contains ingredients that are either considered non-hazardous under US and EU regulations or GHS guidelines and/ or at concentrations less than 1% in the mixture.

Reagent 2 contains the following hazardous ingredients:

Ingredient	CAS#	EINECs / ELINCS #	% Composition	EU Risk Phrase
Sodium Hydroxide	1310-73-2	215-185-5	2%	R34

4. First Aid Measures

For Reagent 2:

Eye: Flush thoroughly with water and notify supervisor and EHS personnel. Get medical aid.

Skin: Flush thoroughly with water and notify supervisor and EHS personnel. Get medical attention.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do not induce vomiting unless directed to do so by medical personnel.

Inhalation: Remove to fresh air and get medical attention for any breathing difficulty.

For all other parts of the kit if contacted:

Eye: Flush thoroughly with water and notify supervisor and EHS personnel. If an irritation develops, get medical aid.

Skin: Flush thoroughly with water and notify supervisor and EHS personnel. If an irritation develops, get medical attention.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do not induce vomiting unless directed to do so by medical personnel.

Inhalation: Remove to fresh air and get medical attention for any breathing difficulty.



Material Safety Data Sheet

Effective Date: October 15th, 2010

Supersedes: February 2nd, 2010

Xpert vanA/vanB

5. Fire Fighting Measures

Flammability/Explosivity: None of the components of the kit are considered flammable or explosive.

Extinguishing Media: CO₂, multipurpose dry chemical or vaporizing liquid fire extinguisher.

Special Fire Fighting Procedures:

Wear full protective clothing and a self-contained breathing apparatus with a full facepiece operated in the pressure demand or other positive pressure mode for surrounding fire. Decontaminate all equipment after use.

Hazardous Decomposition Products:

None identified.

6. Accidental Release Measures

For all components if spilled:

If product/material is released or spilled, take proper precautions to minimize exposure by using appropriate personal protective equipment. For small spills, wear gloves and absorb spill with paper towel. **For small spills of Reagent 2 containing sodium hydroxide, avoid skin and eye contact by using rubber or nitrile gloves and wearing of eye protection to avoid contact.** Dispose of material according to local, State and Federal waste disposal regulations (see Section 13).

For larger spills, wear personal protective clothing to minimize exposure such as overgarment, gloves and eye protection (goggles), cover spill with absorbent material. **For larger spills of Reagent 2 containing sodium hydroxide, wear overgarment and personal protective equipment to avoid skin contact including goggles and rubber or nitrile gloves.** Collect spilled material, absorbent, and rinse waters into suitable containers for proper disposal in accordance with applicable local, state or Federal waste disposal regulations (see Section 13).

7. Handling and Storage

Handling Precautions: Avoid skin contact, eye contact and inhalation.

Storage Requirements: Store according to product labeling.



Material Safety Data Sheet

Effective Date: October 15th, 2010

Supersedes: February 2nd, 2010

Xpert vanA/vanB

8. Exposure Controls/Personal Protection

Occupational Exposure

Limits: **Reagent 2** contains sodium hydroxide which has ACGIH TLV and NIOSH REL of 2 mg/m³ as a ceiling value not to be exceeded for any 15-minute period and an OSHA 8-hour time weighted average of 2 mg/m³. None of the other ingredients contained in this product have occupational exposure limits established by OSHA, NIOSH, ACGIH or Cepheid.

Engineering Controls: None normally required. When practicable, handle material in enclosed or contained processes or in processes with effective local exhaust ventilation.

Eye Protection: Wear safety glasses with side shields, chemical splash goggles, or full face shield, if necessary. Base the choice of protection on the job activity and potential for contact with eyes or face.

Respiratory Protection: When possible, handle material in enclosed processes or containers. If it is properly handled with effective ventilation or containment, respiratory protection should not be needed.

Skin Protection: Rubber gloves are recommended to minimize potential for skin contact. In laboratory setting, wear lab coat or other protective overgarment at a minimum to minimize skin contact. Base the choice of protection on the job activity and potential for skin contact.

Other: Facilities storing or using this product should be equipped with an eyewash station and a safety shower. Wash hands, face and other potentially exposed areas immediately after handling material (especially before eating, drinking, or smoking). Decontaminate all protective equipment after use.

9. Physical and Chemical Properties

Physical State: Beads are solid components in cartridges; reagents are liquids which are primarily buffered aqueous solutions.

Odor: Components are odorless.

Vapor Pressure: Minimal.

Evaporation Rate: Minimal.

Viscosity: Reagents are aqueous.

Boiling Point: Liquid reagents near 100 degrees C .

Freezing/Melting Point: Liquid reagents near 0 degrees C

Solubility: Reagents are already aqueous; beads are soluble in aqueous solutions



Material Safety Data Sheet

Effective Date: October 15th, 2010

Supersedes: February 2nd, 2010

Xpert vanA/vanB

pH: >12.5 (Reagent 2); 6.6 – 8.6 (Solids & Other liquid reagents)

10. Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.

Conditions to Avoid: Incompatible materials.

Incompatibilities with Other materials: Strong oxidizing agents, peroxides, strong acids and bases, acid chlorides, acid anhydrides, alkali metals, ammonia.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides, sodium oxides, potassium oxides, hydrogen chloride, cyanide.

Hazardous Polymerization: Will not occur.

11. Toxicological Information

Acute Toxicity: The cartridges containing freeze-dried powders should not present an acute toxicity hazard unless the beads are released or spilled. Magnesium chloride has low to moderate acute toxicity with oral LD50 of 2800 mg/kg in the rat. Sodium hydroxide is acutely toxic orally due to its corrosivity.

Irritation/Sensitization: HEPES Salt and HEPES acid are considered skin and eye irritants. Bovine serum albumin, as a foreign protein is considered a potential allergen but because it is contained in the bead within the cartridge, the potential to cause an allergic reaction under normal use conditions is considered low.

Repeated dose toxicity – No data identified on ingredients.

Reproductive (fertility) and Developmental (birth defects) toxicity – No data identified. None of the ingredients are considered reproductive or developmental toxicants.

Mutagenicity and Carcinogenicity – No data identified on mutagenicity. None of the ingredients are listed by NTP, IARC or OSHA as carcinogens.

12. Ecological Information

Ecotoxicity: As sodium hydroxide adjusts pH, it has the potential to have harmful effects in the environment if not properly disposed of.

Environmental Fate: No data identified.

Material Safety Data Sheet*Effective Date: October 15th, 2010**Supersedes: February 2nd, 2010**Xpert vanA/vanB*

13. Disposal Considerations

Biological specimens, including used cartridges, should be treated as capable of transmitting infectious agents. Consult your institution's environmental waste personnel on proper disposal of used cartridges and unused reagents. This material may exhibit characteristics of federal EPA Resource Conservation and Recovery Act (RCRA) hazardous waste requiring specific disposal requirements. Check state and local regulations as they may differ from federal disposal regulations. Institutions outside the USA should check their country hazardous waste disposal requirements.

14. Transport Information

Transport in accordance with all federal, state, and local transportation regulations.

With the exception of Reagent 2, all of the other components are not regulated by US DOT or IATA.

The transport classification of **Reagent 2 containing 0.5N Sodium Hydroxide** is:

Class 8, Packing Group II, UN1824.

Proper Shipping Name: Sodium Hydroxide Solution.

15. Regulatory Information

US OSHA: This MSDS complies with the requirements under 29 CFR 1910.1200

Labeling for Reagent 2 (in addition to identity and shipping information) should include the following:

For Reagent 2 - Contains Sodium Hydroxide Solution**DANGER**

Causes burns.

Keep out of reach of children.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

EU Risk and Safety Phrases: R 34; S2/26/37/39/45

LBL PN: 300-7644, Rev B



Material Safety Data Sheet

Effective Date: October 15th, 2010

Supersedes: February 2nd, 2010

Xpert vanA/vanB

Canada – WHMIS Classifications

Reagent 2 is a Corrosive – Class E according to WHMIS classification.

All other components are not classified according to WHMIS classification criteria.

California Proposition 65

None of the ingredients are listed under California Proposition 65.

SARA 313: Not listed.

CERCLA : Sodium hydroxide has a reportable quantity limit of 1000 lbs; no other ingredients are regulated under CERCLA.

RCRA: Not listed.

For R&D consumers, products are to be used only for R&D purposes.

16. Other Information

No other data available.

Abbreviations:

ACGIH:	American Conference of Governmental Industrial Hygienists
CAS#:	Chemical Abstract Services Number
CFR	Code of Federal Regulations
CERCLA:	Comprehensive Environmental Response, Compensation, and Liability Act
DOT:	Department of Transportation
EINECS:	European Inventory of New and Existing Chemical Substances
EU:	European Union
GHS:	Global Harmonization System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association
OSHA:	Occupational Safety and Health Administration
NTP:	National Toxicology Program
RCRA:	Resource Conservation and Recovery Act
SARA:	Superfund Amendments and Reauthorization Act
TSCA:	Toxic Substances Control Act

Cepheid makes no warranties as to the accuracy or completeness of this information and disclaims any liability in connection with its use. Cepheid's obligations shall be only as set forth in Cepheid's standard terms and conditions of sale for this product. In no case will Cepheid be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product.